





BA6H

Backbar Cooler

Product Features

- EU Energy Class A
- Approx. 59% more energy efficient than previous BA-range
- · Double glazed tempered glass
- · Reversible glass door
- Ventilated cooling for fast pull-down and even temperature
- Easy access electronic thermostat
- · Adjustable shelves
- · LED interior light
- Lock

High-quality backbar with low energy consumption

The BA is our range of high-quality backbars. It has been updated and now uses in average 59% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. If you need to adjust the temperature this is easily done on the electronic thermostat. The backbar cooler is made of solid materials and has adjustable chrome shelves with closely-spaced wires, which gives you a high capacity and stability. Furthermore, it has a reversible aluminium door with double glazed tempered glass. This helps save energy, but it also means a great product visibility.

Measures and Content Total Display Area m² 0.29 Temperature Range °C +2 to +10 Climate Class 4 Gross / Net Weight kg 45 / 40 Gross / Net Volume I 105 / 92 Design and Material Door No & Type 1 hinged glass door Door Reversible Yes Tempered glass Yes Shelves No & Type 2 wire shelves chrome Shelf Color Chrome Shelf Dimensions 395x350 mm Feet / Legs 4 adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Cooling Ventilated Type of Efrost Automatic Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 1 Max Ambient 30°C at 55% RH			
Temperature Range °C +2 to +10 Climate Class 4 Gross / Net Weight kg 45 / 40 Gross / Net Volume I 105 / 92 Design and Material Door No & Type 1 hinged glass door Door Reversible Yes Shelves No & Type 2 wire shelves chrome Shelf Color Chrome Shelf Color Chrome Shelf Dimensions 395x350 mm Feet / Legs 4 adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Coloring Ventilated Type of Defrost Automatic Refrigerant R600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 500 x 520 x 870	Measures and Content		
Climate Class 4 Gross / Net Weight kg 45 / 40 Gross / Net Volume I 105 / 92 Design and Material Door No & Type 1 1 hinged glass door Door Reversible Yes Shelves No & Type 2 wire shelves chrome Shelf Color Chrome Shelf Dimensions 395x350 mm Feet / Legs 4 adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Controller Refrigerant R600a Refrigerant R600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 500 x 520 x 870	Total Display Area	m²	0.29
Gross / Net Weight kg 45 / 40 Gross / Net Volume I 105 / 92 Design and Material Door No & Type 1 1 hinged glass door Door Reversible Yes Tempered glass Yes Shelves No & Type 2 2 wire shelves chrome Shelf Color Chrome Shelf Color Chrome Shelf Dimensions 395x350 mm Feet / Legs 4 adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Cooling Ventilated Type of Defrost Automatic Refrigerant Re600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Temperature Range	°C	+2 to +10
Gross / Net Volume Design and Material Door No & Type 1 hinged glass door Door Reversible Yes Tempered glass Shelves No & Type 2 wire shelves chrome Shelf Color Chrome Shelf Dimensions Set / Legs A dajustable feet Exterior Finish Interior Light Lock Yes Cooling and Functions Type of Controller Type of Controller Type of Cooling Ventilated Type of Defrost Automatic Refrigerant Refooa Refrigerant Charge g As Thermometer Yes Power and Consumption Energy Class A Energy Consumption Energy Class A Annual Energy Cons. kWh/year 310 Power 1 Max Ambient Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 585 x 575 x 940	Climate Class		4
Design and Material Door No & Type	Gross / Net Weight	kg	45 / 40
Door No & Type 1 hinged glass door Door Reversible Yes Tempered glass Yes Shelves No & Type 2 wire shelves chrome Shelf Color Chrome Shelf Dimensions 395x350 mm Feet / Legs 4 adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Cooling Ventilated Type of Defrost Automatic Refrigerant Re600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Gross / Net Volume	1	105 / 92
Door Reversible Tempered glass Yes Shelves No & Type Shelf Color Chrome Shelf Dimensions Shelf Dimensions Shet Legs Adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light Lock Yes Cooling and Functions Type of Controller Type of Cooling Ventilated Type of Defrost Refrigerant Refooa Refrigerant Charge Refrigerant Refooa Refrigerant Charge R	Design and Material		
Tempered glass Shelves No & Type Shelves No & Type Shelf Color Chrome Shelf Dimensions Feet / Legs 4 adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LCCk Yes Cooling and Functions Type of Controller Type of Controller Type of Pefrost Refrigerant Refrigerant Charge Refrigerant Charge Thermometer Power and Consumption Energy Consumption Electronic Yes Cooling Temption Electronic Type of Cooling Temptio	Door No & Type		1 hinged glass door
Shelves No & Type Shelf Color Chrome Shelf Dimensions Shelf Dimensions Shelf Dimensions Shelf Dimensions Shelf Dimensions Seet / Legs A adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Type of Cooling Ventilated Type of Defrost Automatic Refrigerant Refoua Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Consumption Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 1 Super Shelves Sh	Door Reversible		Yes
Shelf Color Chrome Shelf Dimensions 395x350 mm Feet / Legs 4 adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Cooling Ventilated Type of Defrost Automatic Refrigerant Re600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Tempered glass		Yes
Shelf Dimensions 395x350 mm Feet / Legs 4 adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Cooling Ventilated Type of Defrost Automatic Refrigerant Re600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Shelves No & Type		2 wire shelves chrome
Feet / Legs 4 adjustable feet Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Cooling Ventilated Type of Defrost Automatic Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Shelf Color		Chrome
Exterior Finish Black Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Cooling Ventilated Type of Defrost Automatic Refrigerant Re600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Shelf Dimensions		395x350 mm
Interior Finish Stucco aluminium Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Cooling Ventilated Type of Defrost Automatic Refrigerant R600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Feet / Legs		4 adjustable feet
Interior Light LED Lock Yes Cooling and Functions Type of Controller Electronic Type of Cooling Ventilated Type of Defrost Automatic Refrigerant R600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Exterior Finish		Black
Lock Cooling and Functions Type of Controller Type of Cooling Type of Cooling Type of Defrost Refrigerant Refooa Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption Energy Consumption Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Interior Finish		Stucco aluminium
Cooling and Functions Type of Controller Type of Cooling Type of Defrost Refrigerant Refrigerant Refrigerant Charge Refrigerant Refrigerant Refrigerant Refrigerant Refrigerant Refrigerant Refrigerant Refrigerant Refrigerant Charge Refrigerant Refoua Refrigerant Charge Refrigerant Refoua Refrigerant Refoua Refrigerant Refoua Refrigerant Refrigerant Refoua Re	Interior Light		LED
Type of Controller Type of Cooling Type of Cooling Type of Defrost Refrigerant Refrigerant Refrigerant Refrigerant Charge Refrigerant Refooa Refri	Lock		Yes
Type of Cooling Type of Defrost Automatic Refrigerant Refrigerant Refrigerant Charge Refrigerant Ref	Cooling and Functions		
Type of Defrost Refrigerant R600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Type of Controller		Electronic
Refrigerant R600a Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Type of Cooling		Ventilated
Refrigerant Charge g 45 Thermometer Yes Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Type of Defrost		Automatic
Thermometer Yes Power and Consumption Fenergy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Refrigerant		R600a
Power and Consumption Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Refrigerant Charge	g	45
Energy Class A Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 1 Max Ambient 30°C at 55% RH 1 Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Umage of the property of th	Thermometer		Yes
Energy Consumption kWh/24h 0.85 Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Power and Consumption		
Annual Energy Cons. kWh/year 310 Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Energy Class		А
Power 1 Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Energy Consumption	kWh/24h	0.85
Max Ambient 30°C at 55% RH Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Annual Energy Cons.	kWh/year	310
Input Power W 95 Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Power		1
Voltage / Frequency V/Hz 220-240/50 Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Max Ambient		30°C at 55% RH
Noise Level dB(A) 44 Dimensions Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Input Power	W	95
DimensionsInternal Dimension (WxDxH)mm410 x 418 x 720External Dimension (WxDxH)mm500 x 520 x 870Packed Dimension (WxDxH)mm585 x 575 x 940	Voltage / Frequency	V/Hz	220-240/50
Internal Dimension (WxDxH) mm 410 x 418 x 720 External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Noise Level	dB(A)	44
External Dimension (WxDxH) mm 500 x 520 x 870 Packed Dimension (WxDxH) mm 585 x 575 x 940	Dimensions		
Packed Dimension (WxDxH) mm 585 x 575 x 940	Internal Dimension (WxDxH)	mm	410 x 418 x 720
	External Dimension (WxDxH)	mm	500 x 520 x 870
40ft Container Load pcs 160	Packed Dimension (WxDxH)	mm	585 x 575 x 940
	40ft Container Load	pcs	160





Adjustable wire shelves Electronic thermostat







BA11H

Backbar Cooler

Product Features

- EU Energy Class A
- Approx. 59% more energy efficient than previous BA-range
- · Double glazed tempered glass
- Reversible glass door
- Ventilated cooling for fast pull-down and even temperature
- Easy access electronic thermostat
- · Adjustable shelves
- · LED interior light
- Lock

High-quality backbar with low energy consumption

The BA is our range of high-quality backbars. It has been updated and now uses in average 59% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. If you need to adjust the temperature this is easily done on the electronic thermostat. The backbar cooler is made of solid materials and has adjustable chrome shelves with closely-spaced wires, which gives you a high capacity and stability. Furthermore, it has a reversible aluminium door with double glazed tempered glass. This helps save energy, but it also means a great product visibility.

Measures and Content		
Total Display Area	m²	0.37
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	53 / 47
Gross / Net Volume	1	128 / 118
Design and Material		
Door No & Type		1 hinged glass door
Door Reversible		Yes
Tempered glass		Yes
Shelves No & Type		2 wire shelves chrome
Shelf Color		Chrome
Shelf Dimensions		495x350 mm
Feet / Legs		4 adjustable feet
Exterior Finish		Black
Interior Finish		Stucco aluminium
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R600a
Refrigerant Charge	g	55
Thermometer		Yes
Power and Consumption		
Energy Class		Α
Energy Consumption	kWh/24h	0.96
Annual Energy Cons.	kWh/year	350
Max Ambient		30°C at 55% RH
Input Power	W	95
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	44
Dimensions		
Internal Dimension (WxDxH)	mm	510 x 418 x 734
External Dimension (WxDxH)	mm	600 x 520 x 900
Packed Dimension (WxDxH)	mm	685 x 575 x 970
40ft Container Load	pcs	136





Adjustable wire shelves

Electronic thermostat







BA16H

Backbar Cooler

Product Features

- EU Energy Class A
- Approx. 59% more energy efficient than previous BA-range
- · Double glazed tempered glass
- Reversible glass door
- Ventilated cooling for fast pull-down and even temperature
- Easy access electronic thermostat
- · Adjustable shelves
- · LED interior light
- Lock

High-quality backbar with low energy consumption

The BA is our range of high-quality backbars. It has been updated and now uses in average 59% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. If you need to adjust the temperature this is easily done on the electronic thermostat. The backbar cooler is made of solid materials and has adjustable chrome shelves with closely-spaced wires, which gives you a high capacity and stability. Furthermore, it has a reversible aluminium door with double glazed tempered glass. This helps save energy, but it also means a great product visibility.

Measures and Content		
Total Display Area	m²	0.35
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	52 / 46
Gross / Net Volume	I	125 / 115
Design and Material		
Door No & Type		1 hinged glass door
Door Reversible		Yes
Tempered glass		Yes
Shelves No & Type		2 wire shelves chrome
Shelf Color		Chrome
Shelf Dimensions		495x350 mm
Feet / Legs		4 adjustable feet
Exterior Finish		Black
Interior Finish		Stucco aluminium
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R600a
Refrigerant Charge	g	55
Thermometer		Yes
Power and Consumption		
Energy Class		A
Energy Consumption	kWh/24h	0.96
Annual Energy Cons.	kWh/year	350
Max Ambient		30°C at 55% RH
Input Power	W	95
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	44
Dimensions		
Internal Dimension (WxDxH)	mm	510 x 418 x 720
External Dimension (WxDxH)	mm	600 x 520 x 870
Packed Dimension (WxDxH)	mm	685 x 575 x 940
40ft Container Load	pcs	136





Adjustable wire shelves

Electronic thermostat







BA21H

Backbar Cooler

Product Features

- EU Energy Class A
- Approx. 59% more energy efficient than previous BA-range
- Ventilated cooling for fast pull-down and even temperature
- Energy saving variable speed compressor
- Double glazed tempered glass
- · Hinged alu-framed glass doors
- Easy access electronic thermostat
- · Adjustable shelves behind each door
- LED interior light
- Lock

High-quality backbar with low energy consumption

The BA is our range of high-quality backbars. It has been updated and now uses in average 59% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. If you need to adjust the temperature this is easily done on the electronic thermostat. The backbar cooler is made of solid materials and has adjustable chrome shelves with closely-spaced wires, which gives you a high capacity and stability. Furthermore, it has hinged aluminium doors with double glazed tempered glass. This helps save energy, but it also means a great product visibility. The BA range is also available in a variant with self-closing sliding doors.

m²	0.52
°C	+2 to +10
	4
kg	70 / 64
1	196 / 188
	2 hinged glass doors
	No
	Yes
	4 wire shelves chrome
	Chrome
	395x328 mm
	4 adjustable feet
	Black
	Stucco aluminium
	LED
	Yes
	Electronic
	Electronic Ventilated
=	
	Ventilated
g	Ventilated Automatic
g	Ventilated Automatic R600a
g	Ventilated Automatic R600a 70
g	Ventilated Automatic R600a 70
g kWh/24h	Ventilated Automatic R600a 70 Yes
	Ventilated Automatic R600a 70 Yes
kWh/24h	Ventilated Automatic R600a 70 Yes A 1.08
kWh/24h	Ventilated Automatic R600a 70 Yes A 1.08
kWh/24h kWh/year	Ventilated Automatic R600a 70 Yes A 1.08 394 30°C at 55% RH
kWh/24h kWh/year	Ventilated Automatic R600a 70 Yes A 1.08 394 30°C at 55% RH
kWh/24h kWh/year W V/Hz	Ventilated Automatic R600a 70 Yes A 1.08 394 30°C at 55% RH 115 220-240/50
kWh/24h kWh/year W V/Hz	Ventilated Automatic R600a 70 Yes A 1.08 394 30°C at 55% RH 115 220-240/50
kWh/24h kWh/year W V/Hz dB(A)	Ventilated Automatic R600a 70 Yes A 1.08 394 30°C at 55% RH 115 220-240/50 44
kWh/24h kWh/year W V/Hz dB(A)	Ventilated Automatic R600a 70 Yes A 1.08 394 30°C at 55% RH 115 220-240/50 44
	°C kg





Adjustable wire shelves

Electronic thermostat







BA26H

Backbar Cooler

Product Features

- EU Energy Class A
- Approx. 59% more energy efficient than previous BA-range
- Ventilated cooling for fast pull-down and even temperature
- Energy saving variable speed compressor
- Double glazed tempered glass
- · Hinged alu-framed glass doors
- Easy access electronic thermostat
- · Adjustable shelves behind each door
- LED interior light
- Lock

High-quality backbar with low energy consumption

The BA is our range of high-quality backbars. It has been updated and now uses in average 59% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. If you need to adjust the temperature this is easily done on the electronic thermostat. The backbar cooler is made of solid materials and has adjustable chrome shelves with closely-spaced wires, which gives you a high capacity and stability. Furthermore, it has hinged aluminium doors with double glazed tempered glass. This helps save energy, but it also means a great product visibility. The BA range is also available in a variant with self-closing sliding doors.

Measures and Content		
Total Display Area	m²	0.5
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	69 / 63
Gross / Net Volume	1	190 / 182
Design and Material		
Door No & Type		2 hinged glass doors
Door Reversible		No
Tempered glass		Yes
Shelves No & Type		4 wire shelves chrome
Shelf Color		Chrome
Shelf Dimensions		395x328 mm
Feet / Legs		4 adjustable feet
Exterior Finish		Black
Interior Finish		Stucco aluminium
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R600a
Refrigerant Charge	g	70
Thermometer		Yes
Power and Consumption		
Energy Class		А
Energy Consumption	kWh/24h	1.08
Annual Energy Cons.	kWh/year	394
Max Ambient		30°C at 55% RH
Input Power	W	115
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	44
Dimensions		
Internal Dimension (WxDxH)	mm	810 x 418 x 720
External Dimension (WxDxH)	mm	900 x 520 x 870
Packed Dimension (WxDxH)	mm	985 x 575 x 940
40ft Container Load	pcs	96





Adjustable wire shelves

Electronic thermostat







BA31H

Backbar Cooler

Product Features

- EU Energy Class B
- Approx. 59% more energy efficient than previous BA-range
- Ventilated cooling for fast pull-down and even temperature
- Energy saving variable speed compressor
- Double glazed tempered glass
- · Hinged alu-framed glass doors
- Easy access electronic thermostat
- · Adjustable shelves behind each door
- LED interior light
- Lock

High-quality backbar with low energy consumption

The BA is our range of high-quality backbars. It has been updated and now uses in average 59% less energy compared to the previous models from the same range. This backbar has ventilated cooling for a short pull-down time to ensure that you can keep up with customer demand for cold beverages. If you need to adjust the temperature this is easily done on the electronic thermostat. The backbar cooler is made of solid materials and has adjustable chrome shelves with closely-spaced wires, which gives you a high capacity and stability. Furthermore, it has hinged aluminium doors with double glazed tempered glass. This helps save energy, but it also means a great product visibility. The BA range is also available in a variant with selfclosing sliding doors.

Measures and Content		
Total Display Area	m²	0.77
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	99 / 92
Gross / Net Volume	T	311 / 288
Design and Material		
Door No & Type		3 hinged glass doors
Door Reversible		No
Tempered glass		Yes
Shelves No & Type		6 wire shelves chrome
Shelf Color		Chrome
Shelf Dimensions		400x318 / 432x318 mm
Feet / Legs		4 adjustable feet
Exterior Finish		Black
Interior Finish		Stucco aluminium
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R290
Refrigerant Charge	g	90
Thermometer		Yes
Power and Consumption		
Energy Class		В
Energy Consumption	kWh/24h	1.8
Annual Energy Cons.	kWh/year	657
Power		1
Max Ambient		30°C at 55% RH
Input Power	W	125
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	44
Dimensions		_
Internal Dimension (WxDxH)	mm	1265 x 418 x 734
External Dimension (WxDxH)	mm	1350 x 520 x 900
Packed Dimension (WxDxH)	mm	1435 x 575 x 970
40ft Container Load	pcs	64





Adjustable wire shelves Electronic thermostat





UR200G

Display Cooler

Product Features

- · Hinged glass door
- Electronic thermostat
- Reversible door
- LED interior light with switch
- Adjustable shelves
- Fan assisted cooling
- Adjustable feet with rollers to rear
- Digital controller and temperature display

Measures and Content		
Total Display Area	m²	0.23
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	49 / 44
Gross / Net Volume	I	136 / 119
Design and Material		
Door No & Type		1 hinged glass door
Tempered glass		Yes
Door Reversible		Yes
Shelves No & Type		3 wire shelves white
Shelf Color		White
Shelf Dimensions		505 x 415 mm
Bottom Shelf Dimensions		505 x 220
Max load on Shelves	kg/m²	110
Feet / Legs		4 adjustable feet
Castors		2 rollers
Exterior Finish		White
Interior Finish		White ABS
Interior Light		LED
Lock		Yes
Cooling and Functions		

2000 44 . 465		
Type of Controller		Electronic
Type of Cooling		Fan assisted
Type of Defrost		Automatic
Refrigerant		R600a
Refrigerant Charge	g	35
Thermometer		Yes
Power and Consumption		
Energy Class		В
Energy Consumption	kWh/24h	1.6
Annual Energy Cons.	kWh/year	584
Power		1
Max Ambient		30°C at 55% RH
Input Power	W	105
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	40
Dimensions		
Internal Dimension (WxDxH)	mm	510 x 485 x 620
External Dimension (WxDxH)	mm	600 x 585 x 855
Packed Dimension (WxDxH)	mm	690 x 650 x 910
40ft Container Load	pcs	108



Electronic thermostat

Internal fan



UR200SG

Display Cooler

Product Features

- · Hinged glass door
- Electronic thermostat
- Reversible door
- Adjustable shelves
- Fan assisted cooling
- Stainless steel cabinet
- Fully automatic
- Adjustable feet with rollers to rear
- LED interior light with switch

Measures and Content		
Total Display Area	m²	0.23
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	49 / 44
Gross / Net Volume	I	136 / 119
Design and Material		
Door No & Type		1 hinged glass door
Tempered glass		Yes
Door Reversible		Yes
Shelves No & Type		3 wire shelves white
Shelf Color		White
Shelf Dimensions		505 x 415 mm
Bottom Shelf Dimensions		505 x 220
Max load on Shelves	kg/m²	110
Feet / Legs		4 adjustable feet
Castors		2 rollers
Exterior Finish		SS430
Interior Finish		White ABS
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Fan assisted

Type of Controller		Electronic
Type of Cooling		Fan assisted
Type of Defrost		Automatic
Refrigerant		R600a
Refrigerant Charge	g	35
Thermometer		Yes
Power and Consumption		
Energy Class		В
Energy Consumption	kWh/24h	1.6
Annual Energy Cons.	kWh/year	584
Power		1
Max Ambient		30°C at 55% RH
Input Power	W	105
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	40
Dimensions		
Internal Dimension (WxDxH)	mm	510 x 485 x 620
External Dimension (WxDxH)	mm	600 x 585 x 855
Packed Dimension (WxDxH)	mm	690 x 650 x 910
40ft Container Load	pcs	108



Internal fan





UR200S

Storage Cooler

Product Features

- Stainless steel cabinet
- Integrated handle
- · Reversible solid door
- Electronic thermostat
- Fan assisted cooling
- Adjustable shelves
- Lock
- Digital controller and temperature display
- Adjustable feet with rollers to rear

Measures and Content		
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	49 / 44
Gross / Net Volume	I	136 / 119
Design and Material		
Door No & Type		1 hinged solid door
Shelves No & Type		3 wire shelves white
Shelf Color		White
Shelf Dimensions		505 x 415 mm
Bottom Shelf Dimensions		505 x 220
Max load on Shelves	kg/m²	110
Feet / Legs		4 adjustable feet
Castors		2 rollers
Exterior Finish		SS430
Interior Finish		White ABS
Interior Light		No
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Fan assisted
Type of Defrost		Automatic
Refrigerant		R600a
Refrigerant Charge	g	35
Thermometer		Yes
Power and Consumption		
Energy Class		А
Energy Consumption	kWh/24h	1.12
Annual Energy Cons.	kWh/year	409
Power		1
Max Ambient		30°C at 55% RH
Input Power	W	105
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	40
Dimensions		
Internal Dimension (WxDxH)	mm	510 x 485 x 620
External Dimension (WxDxH)	mm	600 x 585 x 855
Packed Dimension (WxDxH)	mm	690 x 650 x 910



40ft Container Load



108

Internal fan

Integrated handle





CBC210

Backbar Cooler

Product Features

- Robust heavy duty equipment
- Self-closing doors
- Stainless steel interior
- Adjustable SS304 steel shelves
- Adjustable feet
- Ventilated cooling
- Drawers as option

Heavy-duty backbar with solid doors

The CBC is our range of robust backbars, specifically designed for busy bars where enhanced cooling capacity is needed. The backbar has an efficient ventilated cooling system to guarantee a short pull-down time, so you never run low on chilled beverages for thirsty guests. The air intake and exhaust are both placed at the front, making it easy to have the backbar build into the existing interior. The CBC backbar cooler comes with self-closing doors, LED internal lighting, adjustable SS304 stainless steel shelves, and a stainless steel interior with mirror effect. It is possible to install drawers instead of doors – contact our sales staff for more information.

Measures and Content		
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	123 / 118
Gross / Net Volume	I	290 / 277
Design and Material		
Door No & Type		2 hinged self-closing doors
Door Reversible		No
Shelves No & Type		4 SS304 shelves
Shelf Color		SS304
Feet / Legs		6 adjustable feet
Exterior Finish		Black
Interior Finish		SS430 mirror polished
Interior Light		No
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R290
Refrigerant Charge	g	95
Thermometer		Yes
Power and Consumption		
Energy Class		С
Energy Consumption	kWh/24h	2.35
Annual Energy Cons.	kWh/year	858
Input Power	W	250
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	42
Dimensions		
Internal Dimension (WxDxH)	mm	1082 x 415 x 760
External Dimension (WxDxH)	mm	1462 x 513 x 860
Packed Dimension (WxDxH)	mm	1540 x 580 x 1050
40ft Container Load	pcs	60





Drawers as option

Adjustable shelves







CBC210G

Backbar Cooler

Product Features

- Robust heavy duty equipment
- Self-closing glass doors
- Mirror effect stainless steel interior
- Adjustable SS304 steel shelves
- Adjustable feet
- Ventilated cooling

Heavy-duty backbar with glass doors

The CBC is our range of robust backbars, specifically designed for busy bars where enhanced cooling capacity is needed. The backbar has an efficient ventilated cooling system to guarantee a short pull-down time, so you never run low on chilled beverages for thirsty guests. The air intake and exhaust are both placed at the front, making it easy to have the backbar build into the existing interior. The CBC backbar cooler offers great product presentation with self-closing glass doors, LED internal lighting, adjustable SS304 stainless steel shelves, and a stainless steel interior with mirror effect. It is possible to install drawers instead of doors – contact our sales staff for more information.

Measures and Content		
Total Display Area	m²	0.56
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	123 / 118
Gross / Net Volume	I	290 / 277
Design and Material		
Door No & Type	2	hinged self-closing glass doors
Door Reversible		No
Tempered glass		Yes
Shelves No & Type		4 SS304 shelves
Shelf Color		SS304
Feet / Legs		6 adjustable feet
Exterior Finish		Black
Interior Finish		SS430 mirror polished
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R290
Refrigerant Charge	g	95
Thermometer		Yes
Power and Consumption		
Energy Class		С
Energy Consumption	kWh/24h	3.18
Annual Energy Cons.	kWh/year	1159
Input Power	W	250
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	42
Dimensions		
Internal Dimension (WxDxH)	mm	1082 x 415 x 760
External Dimension (WxDxH)	mm	1462 x 513 x 860
Packed Dimension (WxDxH)	mm	1540 x 580 x 1050
40ft Container Load	pcs	60





Lock

Adjustable shelves





CBC310

Backbar Cooler

Product Features

- Robust heavy duty equipment
- Self-closing doors
- Stainless steel interior
- Adjustable SS304 steel shelves
- Adjustable feet
- Ventilated cooling
- Drawers as option

Heavy-duty backbar with solid doors

The CBC is our range of robust backbars, specifically designed for busy bars where enhanced cooling capacity is needed. The backbar has an efficient ventilated cooling system to guarantee a short pull-down time, so you never run low on chilled beverages for thirsty guests. The air intake and exhaust are both placed at the front, making it easy to have the backbar build into the existing interior. The CBC backbar cooler comes with self-closing doors, LED internal lighting, adjustable SS304 stainless steel shelves, and a stainless steel interior with mirror effect. It is possible to install drawers instead of doors – contact our sales staff for more information.

Measures and Content		
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	143 / 138
Gross / Net Volume	I	460 / 442
Design and Material		
Door No & Type		3 hinged self-closing doors
Door Reversible		No
Shelves No & Type		6 SS304 shelves
Shelf Color		SS304
Feet / Legs		8 adjustable feet
Exterior Finish		Black
Interior Finish		SS430 mirror polished
Interior Light		No
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R290
Refrigerant Charge	g	95
Thermometer		Yes
Power and Consumption		
Energy Class		С
Energy Consumption	kWh/24h	2.85
Annual Energy Cons.	kWh/year	1040
Input Power	W	250
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	42
Dimensions		
Internal Dimension (WxDxH)	mm	1622 x 415 x 760
External Dimension (WxDxH)	mm	2002 x 513 x 860
Packed Dimension (WxDxH)	mm	2060 x 580 x 1050
40ft Container Load	pcs	44





Drawers as option

Adjustable shelves







CBC310G

Backbar Cooler

Product Features

- Robust heavy duty equipment
- Self-closing glass doors
- · Mirror effect stainless steel interior
- Adjustable SS304 steel shelves
- Adjustable feet
- Ventilated cooling

Heavy-duty backbar with glass doors

The CBC is our range of robust backbars, specifically designed for busy bars where enhanced cooling capacity is needed. The backbar has an efficient ventilated cooling system to guarantee a short pull-down time, so you never run low on chilled beverages for thirsty guests. The air intake and exhaust are both placed at the front, making it easy to have the backbar build into the existing interior. The CBC backbar cooler offers great product presentation with self-closing glass doors, LED internal lighting, adjustable SS304 stainless steel shelves, and a stainless steel interior with mirror effect. It is possible to install drawers instead of doors - contact our sales staff for more information.

Measures and Content		
Total Display Area	m²	0.84
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	143 / 138
Gross / Net Volume	T	460 / 442
Design and Material		
Door No & Type	3 hin	ged self-closing glass doors
Door Reversible		No
Tempered glass		Yes
Shelves No & Type		6 SS304 shelves
Shelf Color		SS304
Feet / Legs		8 adjustable feet
Exterior Finish		Black
Interior Finish		SS430 mirror polished
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R290
Refrigerant Charge	g	95
Thermometer		Yes
Power and Consumption		
Energy Class		С
Energy Consumption	kWh/24h	3.8
Annual Energy Cons.	kWh/year	1386
Input Power	W	250
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	42
Dimensions		
Internal Dimension (WxDxH)	mm	1622 x 415 x 760
External Dimension (WxDxH)	mm	2002 x 513 x 860
Packed Dimension (WxDxH)	mm	2060 x 580 x 1050
40ft Container Load	pcs	44





Lock

Adjustable shelves